



## **2025 DEMOLITION DERBY RULES**

**FRIDAY 7/25 POWDER PUFF 4/6 CARS, 4/6 CARS STARTS AT 7 PM**

**SATURDAY 7/26 V8 CARS AND 4/6 SURVIVOR STARTING AT 6 PM**  
**MWFA CLASS LIMITED TO 20 PRE ENTRIES**

**ALL CARS WILL MEET THESE RULES**  
**OR WILL NOT BE ALLOWED TO RUN - NO**  
**EXCEPTIONS.**

- A. Each driver must fill out an entry form and pay an entry fee *which includes driver and 1 pit crew member*. Only one entry each night per driver/crew. Everyone but the driver and one pit person will pay \$25 at the gate. A maximum of 4 people per entered car is allowed in the pit or arena area (Driver and 3 pit crew). Early entries before July 19TH will receive 2 free pit passes, saving \$50 **EXCEPT MWFA CLASS** which may pre-register as seen in the entry form.
- B. **Only owners\drivers, mechanics, etc. who sign a release form and receive an armband will be permitted in the pit area or on the track.**
- C. **Each driver must be of legal age of eighteen (18). Everyone in the pit area must be eighteen (18) or above and have an arm band.**
- D. **The VOLUNTEER officials reserve the right to approve or reject any and all entries.**
- E. The Greene County Fair Board members/volunteers will not be responsible for any vehicles, parts, or personal property before, during, or after the event.
- F. All cars are to be removed from the fairgrounds within 24 hours following the event or they will become the property of the Greene County Fair Board.
- G. A \$300.00 protest fee is required to contest another car. **The decision of the VOLUNTEER OFFICIAL IS FINAL!**

Protests to the head official must be within 5 minutes after the derby heat has ended and will be forfeited if you lose the contest.

- H. Any driver or crew member using abusive language with any official, on or off the premises, will be disqualified and forfeit any prize money and be escorted off the premises.
- I. Tires must be deemed safe by the official.
- J. No trucks, convertibles, all-wheel drive/4wd, Volvo, Mercedes, hearses, or limousines are allowed.
- K. All cars will be inspected upon entering the pit area. Inspection time begins at 5:00 p.m. FRIDAY or on 4PM SATURDAY. ALL CARS must be inside the arena pit area and inspected 30 MINUTES PRIOR TO THE DRIVERS MEETING WHICH WILL BE 15 MINUTES PRIOR TO THE EVENT start. Drivers will pay the entry fee prior to the car being inspected. YOU HAVE 1 CHANCE TO CORRECT ANY PROBLEMS FOUND AFTER INSPECTION. If your car does not pass inspection and you can correct the problem there will be a (\$20.00) re-inspection fee.

### **SEE CLASS RULES AND READ IN FULL**

#### **PERSONAL RULES**

Applies to all events and classes

1. **NUMBERS ON DOORS AND TOP OF CAR ARE REQUIRED**, safety belt, helmet, and goggles are required for the protection of all drivers. No shorts, No open toe shoes, and No tank tops ANYWHERE IN THE ARENA OR PIT AREA! Drivers and ALL personnel must wear a full-length shirt and pants. Neck braces are strongly recommended for drivers.
2. No deliberate hits on the driver's door allowed.
3. No double-teaming allowed.
4. Sandbagging Rule - You will be warned once. The second time, you will be disqualified!
5. **You will have a sixty (60) second time limit to make an aggressive hit or restart your car, or you will be disqualified.**
6. No drinking of alcoholic beverages on track or in the pit area. Anyone under the influence of alcohol or drugs will be immediately disqualified and removed from the grounds.
7. Drivers **MUST KEEP HELMET, SEAT BELT, AND EYE PROTECTION ON AT ALL TIMES WHILE INSIDE ARENA TRACK DURING HEAT**
8. **DO NOT** get out of cars until the flagman tells you that it is acceptable to do so.

9. If you are disqualified, you lose all money won (heat or feature.)  
ABSOLUTELY NO Refund of any entry fees or passes for any reason.

### **CLASSES**

- ★ **FRIDAY 25TH: 1975 UP 4 Cyl. Front or rear wheel drive, V6 Front wheel drive cars only in Powder Puff and 4/6 derbies -POWDER PUFF (female drivers only) SEE RULES**
- ★ **FRIDAY 25TH: 1975 UP 4 Cyl. Front or rear wheel drive, V6 Front wheel drive cars SEE RULES**
- ★ **SATURDAY 26TH: V8-BIG CARS SEE RULES**  
**MWFA 1980 UP NEW CLASS- STOCK SEE RULES**  
**SURVIVOR 4/6 CYLINDER CARS AND DRIVERS THAT HAVE ALREADY RAN FRIDAY 25TH BUT NOT PLACED IN THE TOP 4 MAY RUN IN SURVIVOR DERBY. ONE HEAT, WINNER TAKES ALL.**

### **SEE CLASS RULES AND READ IN FULL**

#### **The following WILL result in immediate disqualification:**

- a. If DRIVER'S DOOR comes open, you will be disqualified
- b. Ignoring or disrespecting officials
- c. Non-compliance with rules
- d. Use of alcohol/illicit drugs
- e. Targeting a driver's door
- f. Fighting with ANYONE

**You have one chance to fix anything that does not pass inspection**  
**REMEMBER THIS EVENT IS PROVIDED, ORGANIZED AND PRESIDED OVER BY UNPAID VOLUNTEERS OF THE GREENE COUNTY FAIR AND SPONSORED BY LOCAL BUSINESS FOR ENTERTAINMENT OF LOCAL FOLKS. THE RULES ARE FOR YOUR SAFETY AND EVERYONE ELSE!**

**Derby Rules ALL Cars must have legible # on top & sides. Front windshield bar is mandatory. I.E. 9 wire ,metal grate, or 2 in flat metal max. can be attached to the cowl w 1 bolt per side and roof with 1 bolt.**

## **4cyl RWD & 4/6cyl FWD**

1. Any bumper, factory or loaded OEM allowed, absolutely no Chrysler pointy replica or factory allowed.
2. Can cut back to core support & weld bumper straight to frame with no added metal.
3. A 10in 2x2x1/4 inch bumper shock is allowed to outside of frame if you try to squeeze any more than 10 inches on the frame you will cut or load the only tape measure that counts is mine!
4. Absolutely no other plates allowed on sub or cradle if it's bent or rusted out, find another car. No exceptions!
5. Can run any wheel and tire as long as it's deemed safe by officials.
6. Cage 2x6 max for side bars 60in max front bar must be 6in off firewall front and back no larger than 4x4.
7. Gas tank protector allowed 28in max can have upright as long as it's not taller than speaker deck 2x2 rollover bar straight up and down attached to top of cage only.
8. Battery & gas tank/fuel cell must be mounted securely.
9. If running a fuel cell you must remove the gas tank from under the car.
10. Can U, V, or tuck the trunk 3 3x3x1/8in plates allowed on each seam or 3 bolts per seam or 3 strands of 9 wire. Pick 1 not 3. 2 6x6 holes for inspection purposes.
11. You will be allowed 3 3x3x1/8 in plates per vertical seam. Can not be above the window seal. I.E. 4 door gets 9 plates, 2 door gets 6 plates.
12. Do not duct tape doors until after inspection, you will cut it!
13. Front bumper height is 20 inches max.
14. All officials' decisions are final! Do not try to build in the gray area. I have final say regardless. You will comply or load.
15. Top 3 cars are subject to reinspection after the derby is over, only drivers of top 3 cars and officials are allowed on the track at this time.
16. Hoods can be bolted in 3 places, No all thread through core support. Can use 2x2x1/4 in angle 2 spots per side of hood with 1 1/2 in bolt.

**Derby Rules ALL Cars must have legible # on top & sides. Front windshield bar is mandatory. I.E. 9 wire ,metal grate, or 2 in flat metal max. can be attached to the cowl w 1 bolt per side and roof with 1 bolt.**

## **MWFA**

- 1. 20 entries max pre entry only. \$75 entry fee with 100% payback**
- 2. Street tires only. No doubled tires**
- 3. Any 1980 & up full size car, small suv, 4cyl/v6 FWD or small truck. NO 4x4 vehicles. Unless the front driveshaft is taken out. NO FULL SIZE TRUCKS, VANS OR SUV'S**
- 4. If the fuel tank is in front of the rear axle it can be left if not, it must be securely mounted in the backseat area.**
- 5. Cars must be stripped completely of glass and trim.**
- 6. 2x2 back bar only attached to the pillar behind the seat.**
- 7. Wire doors & trunk down with 2 strands of 9 wire or chain per vertical seam.**
- 8. Hood can be wired down with 2 strand of wire/chain per seam and 2 strands of wire/chain on core support to front bumper.**
- 9. Must run like it came from the factory, no welding other than back bar, no welding rear ends or FWD transmissions.**
- 10. Car must have legible # on top & side.**

**Derby Rules ALL Cars must have legible # on top & sides. Front windshield bar is mandatory. I.E. 9 wire ,metal grate, or 2 in flat metal max. can be attached to the cowl w 1 bolt per side and roof with 1 bolt.**

## **V8 General car rules**

**No imperials or suicide Lincolns**

- 1. Lower cradle is allowed for large cars, and cannot be attached to the frame in any way other than the motor mounts.**
- 2. If you are running a pulley protector sway bar must be cut.**
- 3. Aftermarket motor mounts are allowed, no chains from cradle to frame.**
- 4. Transmission must be a stock bell housing, no steel bels, no braces.**
- 5. Crossmember must be factory , no tubing .if you need to move crossmember you can mount it to side rail w a piece of 2x2 ¼ in angle 4 in long max do not pressure it in!**
- 6. Can run a sliding driveshaft.**
- 7. Any rearend can be run and braced as long as it doesn't strengthen the car in any way.**
- 8. Four point cage is highly recommended, 2x6 max side bars 60 in long, front and back bar no larger than 4x4. Front bar must be 6 in off firewall.**
- 9. Gas tank protector allowed 3x3 ¼ in tubing max. 28 in wide, can be pressed into package tray. Can have uprights behind the tank no higher than factory speaker deck position.**
- 10. Rollover bar must be straight up and down,no slant. Must be attached to the top of the cage only.**
- 11. No back window bar.**
- 12. Front window bar is mandatory. I.E. 9 wire ,metal grate, or 2 in flat metal max. can be attached to the cowl w 1 bolt per side and roof with 1 bolt.**
- 13. Front bumper height max of 22 in. rear frame rails must be 18 in to the bottom no matter if you have a tilted bumper or not.**
- 14. Can run any bumper factory oem loaded or aftermarket replica, absolutely no Chrysler pointy oem or replica.**
- 15. Fuel cell is highly recommended with fire jacket.**
- 16. Can run after market pedals and battery box , shifter. Pedals and battery box cannot be used as kickers. No welding to crush box or bolting to if they are to close for my liking you will move or load.**
- 17. Factory leaf cars must run oem leaf pack.**
- 18. Trunks can be u'd v'd or tucked as long as there is no wedge from speaker deck to bumper. Speaker deck must remain intact.**
- 19. Trunks are allowed 3 bolts, 3 chains or wire, 3 3x3 x 1/8 in plates per seam. Choose 1 option only. Must have 2 6x6 holes cut in the trunk for inspection purposes.**

20. Do not build in the gray areas. Officials decisions are final, no arguing or fussing . NO EXCEPTIONS. You will have 1 chance to pass retech. \$20 reinspection fee!

21. A arms can be changed for height factory ball joints . can weld front suspension solid w 2 2x2x1/4 in plates 1 per side if you abuse the size you will lose them!

22. Doors can be chained wired or welded with 3 3x3x 1/8 in plates per vertical seam choose 1 option only. Nothing above the window seal or on rockers. 4 door will get 9 plates per side , 2 door gets 6 plates per side.

23. Hoods can be mounted in 6 spots. 2 of them being the core support mount s can be swapped for 1 in max all thread mounted to factory eye, no welding to frame. Other 2 spots per side can be 2x2x1/4 x 4 in angle iron with 1 1/2 in bolt.

## Ford Lincoln Mercury rules for 80 and up

1. Can cold bend frame, no cutting tabs and welding! Only welding on frames is hardnosing front bumper, a arms
2. Front spacer can be 2x2x1/4 by 4 in long if more you will take apart and cut
3. You will be allowed to hardnose bumper with no added bumper shock.

## 2003 and up fords.

1. Metal aftermarket bolt in cradle allowed cannot touch frame anywhere.
2. Must run stock rack. Will be allowed aftermarket tie rods.
3. Cannot tilt at all.
4. No hydro steer no exceptions.
5. Can have 2x2x1/4 in spacer 4 in tall max

## Metric GM

1. Can hardnose bumper without shocks.
2. Will be allowed a 2x2x1/4 in by 12 in pc of angle for a hump plate. Abuse the length and you will lose it completely.

## Old iron 79 and down

1. Can change out top a arms and spindles for bumper height. Oem only. No after market.
2. Can hardnose front bumper ,can cut frame back to eye, no further.
3. Can have 2x2x1/4 front space 4 in tall max.